

XLT HY 2021

Albero cavo/scanalato SAEJ744 –
Hollow shaft SAEJ744


Caratteristiche Tecniche

Technical Characteristics

Pump Pompa	Pressure Pressione		Volume Portata				RPM giri/min		Power Potenza			
			l/min		GPM				HP		kW	
	bar	PSI	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz
XLT4017HY	170	2465	40	48	10.6	12.7	1450	1740	17.0	20.4	12.5	15.0
XLT5015HY	150	2175	50	60	13.2	15.8	1450	1740	18.8	22.6	13.8	16.6


Dimensioni d'ingombro

Overall dimensions



Lubrificazione: Olio SAE 10W40
 Capacità: 1.2 Litri
 Peso pompa: 18.6 kg

Lubrication: SAE 10W40 Oil
 Capacity: 1.2 Litres
 Weight: 18.6 kg



XLT4017HY
XLT5015HY

HAWK
Pompe XLT serie HY
XLT pumps HY series

XLT HY 2021 SERIES

ORDINARY MAINTENANCE KIT / KIT MANUTENZIONE ORDINARIA

KIT	Item Pos.	Part Number Codice	Description	Descrizione	Q.TY by Pump Q.TA per Pompa	XLT4017HY	XLT5015HY
A	3 - 5 - 7	1.099-770.0	PLUNGER SEALS DIA. 25 mm	GUARNIZIONI PISTONE Ø25	1	•	
		1.099-771.0	PLUNGER SEALS DIA. 28 mm	GUARNIZIONI PISTONE Ø28		•	
B	11- 12 (19 20- 21- 22) 13	1.905-686.0	COMPLETE VALVE	VALVOLA COMPLETA	1	•	•
	11- 12 (19 20- 21- 22) 13	1.905-687.0	COMPLETE VALVE	VALVOLA COMPLETA			

EXTRAORDINARY MAINTENANCE KIT / KIT MANUTENZIONE STRAORDINARIA

KIT	Item Pos.	Part Number Codice	Description	Descrizione	Q.TY by Pump Q.TA per Pompa	XLT4017HY	XLT5015HY
C	3- 4- 5- 6- 7	1.905-853.0	COMPLETE SEALS PACKING DIA. 25 mm	PACCO COMPLETO GUARNIZIONI PISTONE Ø25	1	•	
		1.905-854.0	COMPLETE SEALS PACKING DIA. 28 mm	PACCO COMPLETO GUARNIZIONI PISTONE Ø28		•	
D	35 - 36 - 37 - 38	1.099-777.0	PLUNGER DIA. 25 mm	PISTONE Ø25	3	•	
		1.099-778.0	PLUNGER DIA. 28 mm	PISTONE Ø28		•	
E	2	1.099-766.0	PLUNGER OIL SEALS	ANELLI TENUTA OLIO ASTA	1	•	•

“Q.TY by Pump” => Necessary quantity to repair one pump
 “Q.TA’ per Pompa” => Quantità necessaria per riparare una pompa

EXTRAORDINARY MAINTENANCE KIT / KIT MANUTENZIONE STRAORDINARIA

KIT	Item Pos.	Part Number Codice	Description	Descrizione	Q.TY by Pump Q.TA per Pompa	XLT4017HY	XLT5015HY
F	26- 31- 43 45- 46- 47	1.905-613.0	KIT CRANKCASE SEALS	KIT TENUTE CARTER	1	•	•
G	3- 4- 5- 6- 7 8- 9- 10- 11 12 (19- 20 21- 22) 13 14- 15- 16 17- 18	1.099-783.0	COMPLETE MANIFOLD 25	TESTATA COMPLETA Ø25		•	
		1.099-784.0	COMPLETE MANIFOLD 28	TESTATA COMPLETA Ø28			•
H	39 - 40 41- 42 - 43	1.904-180.0	CONNECTING ROD PLUNGER ROD ASSY	PREMONTATO ASTA-BIELLA PISTONE	3	•	•
I	13- 14	1.904-260.0	VALVE PLUG ASSY	PREMONTATO TAPPO VAM	6	•	•
		1.904-262.0	VALVE PLUG ASSY	PREMONTATO TAPPO VAM			

“Q.TY by Pump” => Necessary quantity to repair one pump
“Q.TA’ per Pompa” => Quantità necessaria per riparare una pompa
OPTIONAL

Item Pos.	Part Number Codice	Description	Descrizione	Q.TY by Pump Q.TA per Pompa	XLT4017HY	XLT5015HY
49	9.853-428.0	THREADED BRASS PLUG G1/4	PREMONTATO TAPPO FORATO	1	•	•

TOOL KIT

Part Number Codice	Description	Descrizione	Q.TY by Pump Q.TA per Pompa	XLT4017HY	XLT5015HY
1.099-665.0	TOOL-KIT	TOOL-KIT	1	•	•
1.905-659.0	OIL SEAL EXTRACTOR TOOL-KIT	TOOL-KIT ESTR. PARAOLIO	1		

IMPORTANT

IMPORTANTE

* **Part available ONLY in kit**
Disponibile SOLO in kit

(...) **Parts pre-assembled**
Parti pre-assemblate

PARTS LIST LISTA PARTI

Item Pos	Part Number Codice	Description	Descrizione	KIT	Q.TY Q.TA	XLT4017NY	XLT5015NY
1	9.850-377.0	CRANKCASE	CARTER		1		
2*							•
3*							
4*						•	
							•
5*						•	
							•
6*						•	
							•
7*						•	
							•
8*							
9*							
10*							
11*							
12*							
13*							
14*							
15*							
16*							
17*							
18*							
19*							
20*							
21*							
22*							•
23	9.851-503.0	HEXAGONAL SCREW	VITE M8X20		4		
24	9.851-114.0	WASHER DIA. 8.5	ROSETTA Ø8.5		4		
25	9.850-624.0	CLOSED BEARING HOUSING	FLANGIA CHIUSA		1		
26*							
27	9.850-348.0	ROLLER BEARING	CUSCINETTO A RULLI		2		
28	9.853-793.0	HOLLOW SHAFT	ALBERO CAVO		1		
29	9.851-476.0	SCREW	VITE		4		
30	9.851-157.0	WASHER	RONDELLA		4		
31	9.851-287.0	OIL DIP STICK	TAPPO LIVELLO OLIO		1		
32*							
33							
34*							
35*							

	<i>Part Number Codice</i>	<i>Description</i>	<i>Descrizione</i>	<i>KIT</i>	<i>Q.TY Q.TÀ</i>	<i>XL T4017</i>	<i>XL T5015</i>
36*							•
37*							•
38*	9.851-136.0	COPPER SPACER	ROSETTA RAME	D	3		
39*	9.850-101.0	PLUNGER ROD	ASTA PISTONE	H	3		
40*	9.851-214.0	CONNECTING ROD PIN	SPINOTTO	H	3		
41*							
42*	9.851-152.0	SPRING WASHER	ROSETTA ELASTICA Ø8	H	6		
43*	9.851-463.0	CONNECTING ROD SCREW	VITE BIELLA	H	6		
44	9.850-716.0	"O" RING Ø2.62X152.07	"O" RING Ø2.62X152.07	F	1		•
45*	9.850-389.0	CRANKCASE COVER	COPERCHIO		1		
46*	9.850-668.0	"O" RING Ø1.78X14.00	"O" RING Ø1.78X14.00	F	1		
47*							
48	9.850-808.0	SIGHT GLASS, G 3/4	SPIA LIVELLO OLIO	F	1		
49	9.851-474.0	COVER SCREW	VITE COPERCHIO		5		